

Overview: Calibration Plates supported by MERLIC

Item	Product Id.	Structure on plate			Plate		
		Size LxW [mm]	Material	Mark radius [mm]	Size LxWxH ^(*) [mm]	Thickness (approx.) ^(*) [mm]	PT ^(**) [mm]
Calibration Plate 20mm	20120	20x15	ceramic	0,161	25x25x2	2,00	± 0,1
Calibration Plate 20mm	20121	20x15	glass ^(***)	0,161	25x25x2	2,00	± 0,1
Calibration Plate 40mm	20122	40x30	ceramic	0,323	45x45x2	2,00	± 0,1
Calibration Plate 40mm	20123	40x30	glass ^(***)	0,323	45x45x2	2,00	± 0,1
Calibration Plate 80mm	20124	80x60	ceramic	0.645	85x85x2	2,00	± 0,1
Calibration Plate 80mm	20125	80x60	glass ^(***)	0.645	85x85x2	2,00	± 0,1
Calibration Plate 160mm	20118	160x120	alu/ plastic/ alu ^(****)	1,290	167x140x5	6,00	± 1,0
Calibration Plate 320mm	20119	320x240	alu/ plastic/ alu ^(****)	2.580	335x277x5	6,00	± 1,0
Calibration Plate 160mm	20977	160x120	float glass	1,290	167x140x5	5,00	± 0,1
Calibration Plate 320mm	20978	320x240	float glass	2.580	335x277x5	5,00	± 0,1

^(*) H: The actual height of a calibration plate needs to be measured by the customer.

^(**) PT: Production tolerance

^(***) Glass calibration plates are suitable for back light applications

^(****) Available till end of April 2021